

Work Order ID 55734

January 29, 2010 8:25:39 AM



Page 1

Item ID: D3436-9

Accept



Setup Start



Revision ID:

Stop



Item Name: Pad

Start Date: 1/28/10 Start Qty: 10.00



Cust Item ID:

Required Date: 2/08/10 Req'd Qty: 10.00



Customer:

Reference:

Run Start



Approvals: Process Plan: *[Signature]*

Date: 10-1-29

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	----------------	--------------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3436	Rev A

100	Small Fab	0.00							
	Small Fab	0.00							
	Memo								
	Cut & Punch as per Dwg D3195								

9510/02/01 (10)

110	QC6- Inspect dimensions to drawing	0.00							
	QC	0.00							
	Memo								
	Quality Control								

27510102101

(X10)

120	Identify as per dwg & Stock Location: <i>5706</i>	0.00							
	Packaging	0.00							
	Memo								
	Packaging								

P110/4/3 (10)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 55734

January 29, 2010 8:25:39 AM



Page 2

Item ID: D3436-9

Accept



Setup Start



Revision ID:

Stop



Item Name: Pad

Start Date: 1/28/10 Start Qty: 10.00



Cust Item ID:

Required Date: 2/08/10 Req'd Qty: 10.00



Customer:

Reference:

Run Start



Approvals:

Process Plan:

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run HoursDraw
NumberDraw
Rev.Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

QC21- Final Inspection - Work Order Release

0.00

QC

Memo

0.00

Quality Control

10/02/04 *[Signature]*
MF
10-2-3

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Page 1

January 29, 2010 8:25:43 AM

Work Order ID: 55734



Parent Item: D3436-9



Parent Item Name: Pad


Start Date: 1/28/10

Required Date: 2/08/10

Comments: IPP A05.05.11 New issue KJ/JLM

Start Qty: 10.00

Required Qty: 10.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
D3195  60 Durometer Neoprene Rubber 1/8" thick		Manufactured	No			100	sf	114.1768	0.3820			



Handwritten signature
3/10/02/01

Warehouse

Loc Qty

Loc Code

Location

Main Warehouse

ST

114.1768

42122

114.1768

0.3820

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries





DARTSHO
RETURN TO
ENGINEERING

UNCONTROLLED COPY

SUBJECT TO AMENDMENT

WITHOUT NOTICE
WORK ORDERNO. 3573410-1-29

DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED H	APPROVED H	DRAWING NO. D3436	REV. A SHEET 1 OF 4
DATE 05.04.28	TITLE MAINTENANCE STEP		SCALE 1:4
A	05.04.28	NEW ISSUE	

**NOTES:**

- 1) POSITION PARTS AS PER JIGS DT8772 AND DT8773
- 2) WELD PER DART QSI 004
- 3) FILLET BOTH TOP AND BOTTOM EDGES OF CLAMP ALONG 2.38 I.D. SECTION TO 0.03 RADIUS TO PREVENT SCORING AND SCRATCHING OF SKID CROSS TUBE
- 4) FINISH: POWDER COAT WHITE GLOSS (4.3.5.2) PER DART QSI 005 4.3
- 5) APPLY BLACK ANTI-SKID PAINT AS SHOWN PER DART QSI 005 4.4
- 6) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 7) ALL DIMENSIONS ARE IN INCHES

RELEASED

05.05.27

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____



Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			



NOTE: Date & initial all entries

DART

DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3436	REV. A SHEET 2 OF 4
DATE 05.04.28	TITLE MAINTENANCE STEP		SCALE 1:2

W/b 55734**D3436-1 CLAMP**

- 1) MATERIAL: AISI 4130N STEEL TUBING PER MIL-T-6736, AMS 6371, 6360, 6361, 6362, 6373 OR 6374 (REF. DART SPEC. M4130N-T2500W063)

**D3436-5 BUSHING**

- 2) MATERIAL: AISI 4130N STEEL TUBING PER MIL-T-6736, AMS 6371, 6360, 6361, 6362, 6373 OR 6374 (REF. DART SPEC. M4130N-T0375W049)

RELEASED*05-05-27***D3436-1/-5, GENERAL NOTES:**

- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
4) ALL DIMENSIONS ARE IN INCHES
5) BREAK ALL SHARP EDGES 0.005 TO 0.010

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____



NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3436	REV. A SHEET 3 OF 4
DATE 05.04.28	TITLE MAINTENANCE STEP		SCALE 1:2



w/o 53734



D3436-3 LEFT STEP

(D3436-4 RIGHT STEP - OPPOSITE, NOT SHOWN)

- 1) MATERIAL: AISI 4130N STEEL TUBING PER MIL-T-6736, AMS 6371, 6360, 6361, 6362, 6373 OR 6374 (REF. DART SPEC. M4130N-T1000W049)



D3436-7 CAP

- 2) MATERIAL: AISI 4130N STEEL SHEET PER MIL-S-18729, AMS6350 OR AMS 6351 (REF. DART SPEC. M4130N-S050)

RELEASED

05-5-27 *[Signature]*

D3436-3/-7, GENERAL NOTES:

- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
4) ALL DIMENSIONS ARE IN INCHES
5) BREAK ALL SHARP EDGES 0.005 TO 0.010

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____



NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



w/o 55734

DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>MB</i>	APPROVED <i>MB</i>	DRAWING NO. D3436	REV. A SHEET 4 OF 4
DATE 05.04.28		TITLE MAINTENANCE STEP	SCALE 1:1



RELEASED

05.05.27 *MB*

D3436-9 PAD

NOTES:

- 1) MATERIAL: 60 DUROMETER NEOPRENE SHEET, 1/8" THICK
(REF. DART SPEC. M-NEO60-S.125)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries